

## Modular Bulkhead

### Features:

- 2RU standard 19" NEMA EIA-310 rack spacing
- Available in 6 Position and 8 Position
- All split mounting plates allow post-termination panel mounting
- Adaptor plates available for: ADC<sup>®</sup>, Canare<sup>®</sup>, Kings<sup>®</sup>, Lemo<sup>®</sup>, Fischer<sup>®</sup>, Tajimi<sup>®</sup>, D&H<sup>®</sup>, DT-12 & more...



**30° 6 Position Modular Bulkhead**


\*Adaptor plates shown with connectors for illustration

### Switchboard Style Patch System

- Available in 6 Position and 8 Position
- Split patchcord retainer mounting plates allow post-termination panel mounting
- Eliminate costly patchcords



**Standard 6 Position Modular Bulkhead**



**MBCCH**  
Camera Cable Hanger  
support panel

### 30 Degree Modular Bulkhead panel

2RU, 1x6 Position:  
**WK-M3B106E2-Z-BZ**  
2RU, 1x8 Position:  
**WK-M3B8108E2-Z-BZ**

### Recessed Panel for Switchboard Style Patchcord Retainer System, Modular Bulkhead panel

2RU, 1x6 Position: **WK-M3B106E2-Z-180-BZ**  
2RU, 1x8 Position: **WK-M3B8108E2-Z-180-BZ**

### Universal Switchboard Style patchcord retainer mounting plate



2RU, 1x6 Position:  
**M3BSWB-R**  
2RU, 1x8 Position:  
**M3B8SWB-R**



\*Adaptor plates shown with connectors for illustration








In the interest of improved design and performance, AVP reserves the right to make changes in its specifications without prior notice. Copyright © 2016 AVP MFG & Supply Inc.







## 6 Position

## Modular Bulkhead Adapter Plates







## 8 Position





Mounting Plate, hardware

Plate	Model	A	B	C	D	Adapts/Mounts
	MB6CP	-	-	-	-	Cover Plate, blank, covers one unused position
	MB6FP-RH01	0.984 [24.99]	-	-	-	Fischer Triax DKE 1051 A004-3I.0/4.5/8.7 Percon Triax 5818-T
	MB6FP-RH02	1.350 [34.29]	-	-	-	Tyco/ADC TCP-B38; TCP-B12; TCJ-B12
	MB6FP-U2	0.984 [24.99]	0.945 [24.00]	0.748 [19.00]	-	AVP Universal Maxxum Modules Neutrik D-type (Threaded 4-40 UNC mounting holes)
	MB6FP-CM01	1.350 [34.29]	1.000 [25.40]	1.325 [33.66]	-	ADC ProAx (Counter-sunk mounting holes)
	MB6FP-CM02	1.516 [38.51]	1.380 [35.05]	1.380 [35.05]	-	LEMO FXW, EDW (Counter-sunk mounting holes)
	MB6FP-CM03	1.700 [43.18]	-	1.852 [47.04]	0.504 [12.80]	DB25 or HD44 D-Sub, single hole (Threaded 4-40 UNC mounting holes)
	MB6FP-CM04	1.700 [43.18]	-	1.852 [47.04]	0.504 [12.80]	DB25 or HD44 D-Sub, two holes (Threaded 4-40 UNC mounting holes)

Model	Plate
MB8CP	
MB8FP-RH01	
MB8FP-RH02	
MB8FP-U1	
MB8FP-CM01	
MB8FP-CM02	
MB8FP-CM03	
-	-


Split Mounting Plate, hardware

Plate	Model	A	B	C	D	Adapts/Mounts
	MB6SP-RH01	0.984 [24.99]	-	-	-	Fischer Triax 8mm Series Female 1051 Percon Triax 5818-T
	MB6SP-RM01	0.935 [23.75] 0.935 [23.75]	[23.01] [20.60]	[23.01] [20.60]	-	LEMO EDW; EBW; PBW LEMO FXW; FMW
	MB6SP-RM02	1.625 [41.28]	1.520 [38.61]	1.520 [38.61]	-	DT-12 Connector (8 Position Plate requires 2 spaces)
	MB6SP-RM03	0.984 [24.99]	0.921 [23.39]	0.921 [23.39]	-	LEMO PBW, FMW
	MB6SP-RM04	1.250 [31.75]	1.220 [30.99]	1.220 [30.99]	-	Canare Triax CCM7-PFRC; CCM5-PFRC; CCF4-JKR; CCM4-PKR
	MB6SP-RM05	0.984 [24.99]	0.921 [23.39]	1.000 [24.40]	-	Fischer Triax DSK/KE-KE 1051 A004 Percon Triax 5805-T
	M3B6SWB-R	0.635 [16.13]	-	-	-	AVP Universal Switchboard Style Patchcord Retainer Mounting Plate, recessed type for LEMO, ADC, KINGS, Canare, Fischer, Tajimi, D&H and more
	MB6SP-CM02	1.930 [49.02]	0.900 [22.86]	2.420 [61.47]	1.060 [26.92]	Wireworks G2 Connector (Threaded 4-40 UNC mounting holes), ( Requires 2 spaces)
	MB6SP-CM03	2.540 [64.52]	0.900 [22.86]	2.820 [71.63]	1.060 [26.92]	Wireworks G3 Connector (Threaded 4-40 UNC mounting holes), ( Requires 2 spaces)

Model	Plate
MB8SP-RH01	
MB8SP-RM01	
MB8SP-RM02	
MB8SP-RM03	
MB8SP-RM04	
MB8SP-RM05	
M3B8SWB-R	
-	-
-	-

### Mounting Hole Dimensions

0.984 inches  
[24.99] millimetres




... more adapter plates next page


## 6 Position

## Modular Bulkhead Adapter Plates


## 8 Position


Split Mounting Plate, single flat, hardware

	MB6SP-SF01	1.010 [25.65]	-	-	0.945 [24.00]	Kings Type C Tri-Loc
	MB6SP-SF02	1.100 [25.65]	-	-	1.065 [27.05]	Fischer Triax DS 1051 A004-3 1.0/5.0/8.7 Percon Triax 5812-T
	MB6SP-SF03	1.185 [30.10]	-	-	1.106 [28.09]	Stratos Lightwave HMA Series Jam Nut
	MB6SP-SF04	1.250 [31.75]	-	-	1.203 [30.56]	Kings Type F Tri-Loc
	MB6SP-SF05	0.787 [20.00]	-	-	0.752 [19.00]	Fischer Triax DB 1051 A004-3 1.0/5.0/8.7 Percon Triax 5816-T


MB8SP-SF01	
MB8SP-SF02	
MB8SP-SF03	
MB8SP-SF04	
MB8SP-SF05	


Split Mounting Plate, double flat, hardware

	MB6SP-DF01	0.871 [22.12]	-	-	0.809 [20.55]	LEMO Triax PSA.3T.675.CTLY.92 Percon Triax 5904-T
	MB6SP-DF02	1.030 [26.16]	-	-	0.890 [22.61]	Tyco/ADC Triax TCP-BH; TCJ-BH
	MB6SP-DF03	1.220 [30.99]	-	-	1.130 [28.70]	LEMO PEH; FAP; FXP
	MB6SP-DF04	1.185 [30.10]	-	-	1.125 [28.58]	LEMO Triax ERN.4E.675.CTL; PSA.4E.675 Percon Triax 5904-T
	MB6SP-DF05	0.760 [19.30]	-	-	0.660 [16.76]	Amphenol Series 164

MB8SP-DF01	
MB8SP-DF02	
MB8SP-DF03	
MB8SP-DF04	
MB8SP-DF05	


Mounting Plate, adapts any cable-mount connector to panel-mount including LEMO, ADC KINGS, Canare, Fischer, Tajimi, D&H and more, hardware

	MB6CL-01	0.708-0.748 [18-19mm]	-	-	-	Canare FCMA; FCFA; Fiber M & F
	MB6CL-02	0.748-0.787 [19-20mm]	-	-	-	LEMO FUW 3K.93C; PUW 3K.93C Fischer SE 1051 A004-9+
	MB6CL-03	0.866-0.905 [22-23mm]	-	-	-	LEMO REDEL-FAZ.T7.5FT.CC11CZ LEMO FFB.4A.675.CTCC11 Tajimi OPS2401-P; OP2403-J
	MB6CL-04	0.905-0.944 [23-24mm]	-	-	-	Canare CCF5-JFC
	MB6CL-05	0.984-1.023 [25-26mm]	-	-	-	LEMO FXC.4A.675; PXA.4A.675 ADC ATCP-A12; ATCJ-B38; ATCJ-D38-75 Kings 7703-1; 7703-2; 7703-3; 7703-8 Kings 7705-1; 7705-2; 7705-3; 7705-6 Vinten

MB8CL-01	
MB8CL-02	
MB8CL-03	
MB8CL-04	
MB8CL-05	

### Mounting Hole Dimensions

0.984 inches  
[24.99] millimetres





## Modular Bulkhead Ordering Information








### Ordering Information for 6 & 8 Position, 2RU Modular Bulkhead Panels, Mounting Plates & Accessories

6 Position Panels	8 Position Panels	Description
<b>WK-M3B106E2-Z-BZ</b> <b>WK-MSB106E2-Z-BZ</b> Change -BZ to -B13 <b>CB-B13</b> <b>WK-M3B106E2-Z-180-BZ</b>	<b>WK-M3B8108E2-Z-BZ</b> <b>WK-MSB8108E2-Z-BZ</b> Change -BZ to -B13 <b>CB-B13</b> <b>WK-M3B8108E2-Z-180-BZ</b>	30 degree, 2RU, Modular Bulkhead panel, empty, no cable bar Standard (non angled), 2RU, Modular Bulkhead panel, empty, no cable bar at end of model number for optional installed <b>CB-B13</b> Cable Bar Cable Bar Recessed panel for Switchboard Style patchcord retainer system; 2RU, Modular Bulkhead panel, empty, no cable bar Camera Cable Hanger support panel for the switchboard style patchcord retainer system
<b>MBCCH</b>	<b>MBCCH</b>	

### 6 Position Panels



### 8 Position Panels



Designation Layouts... [www.jackfields.com/support](http://www.jackfields.com/support)